

sera Ammonia Test, Reagenz 1

Revision: 16.10.2025

Product code: Ammonia-Test_R1

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

sera Ammonia Test, Reagenz 1

EAN

4001942040037
4001942049108
4001942560238
4001942560627

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name:	sera Werke Heimtierbedarf	
	J. Ravnak GmbH & Co. KG	
Street:	Borsigstraße 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
E-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
E-mail:	sds.info@sera.de	
Internet:	www.sera.de	
Responsible Department:	Labor	

Supplier

Company name:	sera GmbH	
Street:	Borsigstr. 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
E-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
E-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	

1.4. Emergency telephone +49 (0)2452 91260 (Only available during office hours.)
number: +49 (0)2452 9126555

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH).

sera Ammonia Test, Reagenz 1

Revision: 16.10.2025

Product code: Ammonia-Test_R1

Page 2 of 8

2.2. Label elements**Additional advice on labelling**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Aqueous solution of organic and inorganic salts.

Relevant ingredients

none (according to Regulation (EC) No 1907/2006 (REACH))

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet.

sera Ammonia Test, Reagenz 1

Revision: 16.10.2025

Product code: Ammonia-Test_R1

Page 3 of 8

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up**For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.

Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep/Store only in original container. Protect from direct sunlight.

Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature.

Hints on joint storage

No materials to be specially mentioned

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

sera Ammonia Test, Reagenz 1

Revision: 16.10.2025

Product code: Ammonia-Test_R1

Page 4 of 8

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.
When using do not eat, drink, smoke, sniff.

8.2. Exposure controls**Appropriate engineering controls**

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Avoid contact with eyes. Suitable eye protection: goggles. not required under normal use.

Hand protection

Avoid contact with skin. Hand protection is not required..

Skin protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂).

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Odour threshold:	not applicable
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	Non-flammable.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	Non-flammable.
Decomposition temperature:	not determined
pH-Value (at 20 °C):	8,0-9,0
Viscosity / kinematic:	not determined
Water solubility:	completely miscible
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	23 hPa
(at 20 °C)	
Density (at 20 °C):	1,36 g/cm ³
Bulk density:	not applicable

sera Ammonia Test, Reagenz 1

Revision: 16.10.2025

Product code: Ammonia-Test_R1

Page 5 of 8

Relative vapour density:

not determined

9.2. Other information**Information with regard to physical hazard classes****Explosive properties**

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Sustained combustibility:

No sustained combustibility

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

No data available

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

strong acids

10.6. Hazardous decomposition productsCarbon monoxide, Carbon dioxide (CO₂).

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information**11.1. Information on hazard classes****Toxicocinetics, metabolism and distribution**

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

sera Ammonia Test, Reagenz 1

Revision: 16.10.2025

Product code: Ammonia-Test_R1

Page 6 of 8

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards**Endocrine disrupting properties**

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself. According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

Ecological injuries are not known or expected under normal use.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Revision: 16.10.2025

sera Ammonia Test, Reagenz 1

Product code: Ammonia-Test_R1

Page 7 of 8

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

161002 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; aqueous liquid wastes destined for off-site treatment; aqueous liquid wastes other than those mentioned in 16 10 01

List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

sera Ammonia Test, Reagenz 1

Revision: 16.10.2025

Product code: Ammonia-Test_R1

Page 8 of 8

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Directive 2004/42/EC on VOC in paints and varnishes:	60,6 % (824,16 g/l)
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP].
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

sera Ammonia Test, Reagenz 2

EAN

4001942040037

4001942049108

4001942560238

4001942560627

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet**Manufacturer**Company name: sera Werke Heimtierbedarf
J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49

Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

E-mail: info@sera.de

Contact person: Dr. Matthias Dahm

E-mail: sds.info@sera.de

Internet: www.sera.de

Responsible Department: Labor

Supplier

Company name: sera GmbH

Street: Borsigstr. 49

Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

E-mail: info@sera.de

Contact person: Dr. Matthias Dahm

E-mail: sds.info@sera.biz

Internet: www.sera.de

Responsible Department: Labor

1.4. Emergency telephone

+49 (0)2452 91260 (Only available during office hours.)

number:

+49 (0)2452 9126555

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008**

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 2 of 10

Hazard statements

EUH210 Safety data sheet available on request.

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Non-aqueous solution of inorganic and organic substances.

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
13755-38-9	Sodium nitroferricyanide(III) dihydrate			< 2 %
	238-373-9			
	Acute Tox. 3; H301			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
13755-38-9	238-373-9	Sodium nitroferricyanide(III) dihydrate	< 2 %
	oral: LD50 = 99 mg/kg		

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.

After contact with skin

Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 3 of 10

5.1. Extinguishing media**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. In case of fire and/or explosion do not breathe fumes. In case of fire may be liberated: Nitrogen oxides (NO_x), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide, Carbon dioxide (CO₂).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up**For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).
Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 4 of 10

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately.
Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.
Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Keep/Store only in original container. Protect from direct sunlight.
Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature.

Hints on joint storage

No materials to be specially mentioned

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
57-55-6	propylene glycol			
Worker DNEL, long-term	inhalation	systemic	168 mg/m ³	
Worker DNEL, long-term	inhalation	local	10 mg/m ³	
Consumer DNEL, long-term	inhalation	systemic	50 mg/m ³	
Consumer DNEL, long-term	inhalation	local	10 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	213 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	85 mg/kg bw/day	
,				

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 5 of 10

PNEC values

CAS No	Substance	
Environmental compartment		Value
57-55-6	propylene glycol	
Freshwater		260 mg/l
Marine water		26 mg/l
Freshwater sediment		572 mg/kg
Marine sediment		57,2 mg/kg
Micro-organisms in sewage treatment plants (STP)		20000 mg/l
Soil		50 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.
When using do not eat, drink, smoke, sniff.

8.2. Exposure controls**Appropriate engineering controls**

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Avoid contact with eyes. Suitable eye protection: goggles. not required under normal use.

Hand protection

Avoid contact with skin. Wear suitable gloves.

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,2-0,3 mm

Permeation time (maximum wear duration): 8 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. Not required because of small size of the container

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model A2B2E2K2-P3 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide, Carbon dioxide (CO₂).

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	red brown
Odour:	phenolic
Odour threshold:	5 ppb

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 6 of 10

Melting point/freezing point:	< -50 °C
Boiling point or initial boiling point and boiling range:	> 78 °C
Flammability:	not applicable
Lower explosion limits:	2,6 vol. %
Upper explosion limits:	17,4 vol. %
Flash point:	No data available
Auto-ignition temperature:	371 °C
Decomposition temperature:	not determined
pH-Value:	not applicable
Viscosity / kinematic:	not determined
Water solubility:	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	58 hPa
(at 20 °C)	
Density (at 20 °C):	0,98 g/cm ³
Bulk density:	not applicable
Relative vapour density:	not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

No data available

Sustained combustibility:

No sustained combustibility

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

No data available

Solvent content:

97,76 %

Solid content:

2,24 %

Sublimation point:

not applicable

Softening point:

No data available

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Vapours can form explosive mixtures with air.

10.4. Conditions to avoid

Direct heating, dirt, chemical contamination, sunlight, UV or ionizing radiation

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 7 of 10

10.5. Incompatible materials

Acid

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide, Carbon dioxide (CO₂).

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information
11.1. Information on hazard classes
Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
13755-38-9	Sodium nitroferricyanide(III) dihydrate				
	oral	LD50 99 mg/kg	Rat	RTECS	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards
Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 8 of 10

Further information

Handle in accordance with good industrial hygiene and safety practice.
Health injuries are not known or expected under normal use.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.
There are no data available on the mixture itself. According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".
Ecological injuries are not known or expected under normal use.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 9 of 10

14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
Handle in accordance with good industrial hygiene and safety practice.	
14.7. Maritime transport in bulk according to IMO instruments	
not applicable	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 98,68 % (967,064 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 98,68 % (967,064 g/l)

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

sera Ammonia Test, Reagenz 2

Revision: 16.10.2025

Product code: Ammonia-Test_R2

Page 10 of 10

Abbreviations and acronyms

Acute Tox. 3: Acute toxicity, hazard category 3

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.

EUH210 Safety data sheet available on request.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

sera Ammonia Test, Reagenz 3

EAN

4001942040037

4001942049108

4001942560238

4001942560627

UFI:

2A6C-G8QP-MKSX-TYQD

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet**Manufacturer**Company name: sera Werke Heimtierbedarf
J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49

Place: D-52525 Heinsberg

Post-office box: 1466
D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

E-mail: info@sera.de

Contact person: Dr. Matthias Dahm

E-mail: sds.info@sera.de

Internet: www.sera.de

Responsible Department: Labor

Supplier

Company name: sera GmbH

Street: Borsigstr. 49

Place: D-52525 Heinsberg

Post-office box: 1466
D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

E-mail: info@sera.de

Contact person: Dr. Matthias Dahm

E-mail: sds.info@sera.biz

Internet: www.sera.de

Responsible Department: Labor

1.4. Emergency telephone number: +49 (0)2452 91260 (Only available during office hours.)
+49 (0)2452 9126555**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Skin Corr. 1; H314

Eye Dam. 1; H318

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 2 of 12

Aquatic Acute 1; H400

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

sodium hypochlorite, solution 14% Cl active

sodium hydroxide; caustic soda

Signal word: Danger**Pictograms:****Hazard statements**

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves and eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Product/Substance is inorganic. Aqueous solution of alkali salts.

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 3 of 12

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7681-52-9	sodium hypochlorite, solution 14% Cl active			10 - < 15 %
	231-668-3	017-011-00-1		
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H290 H314 H318 H400 H410 EUH031			
497-19-8	sodium carbonate			10 - < 15 %
	207-838-8	011-005-00-2	01-2119485498-19	
	Eye Irrit. 2; H319			
1310-73-2	sodium hydroxide; caustic soda			5 - < 10 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7681-52-9	231-668-3	sodium hypochlorite, solution 14% Cl active	10 - < 15 %
	Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 EUH; EUH031: >= 5 - 100		
497-19-8	207-838-8	sodium carbonate	10 - < 15 %
	oral: LD50 = 4090 mg/kg		
1310-73-2	215-185-5	sodium hydroxide; caustic soda	5 - < 10 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

Further Information

Strong alkali

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation
Skin corrosion/irritation

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 4 of 12

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).
After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.
Subsequent observance for pneumonia and lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Chlorine (Cl₂), Hydrogen chloride (HCl), Carbon dioxide (CO₂), Carbon monoxide. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water. Fire fighting water forms corrosive alkaline solutions - slip hazard!

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.
The product is an alkali. Before discharge into sewage plants the product normally needs to be neutralised.
Suitable material for diluting or neutralizing: Water

6.3. Methods and material for containment and cleaning up**For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).
Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 5 of 12

Disposal: see section 13

SECTION 7: Handling and storage
7.1. Precautions for safe handling
Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe vapour.
Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately.
Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.
Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Further information on handling

Open drum carefully as content may be under pressure. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.
Keep/Store only in original container. Ensure adequate ventilation of the storage area.
Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature

Hints on joint storage

Do not store near acids.

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7681-52-9	sodium hypochlorite, solution 14% Cl active			
Worker DNEL, long-term	dermal	local	0,50 %	
Worker DNEL, long-term	inhalation	local	1,55 mg/m ³	
Worker DNEL, long-term	inhalation	systemic	1,55 mg/m ³	
Worker DNEL, acute	inhalation	local	3,1 mg/m ³	
Worker DNEL, acute	inhalation	systemic	3,1 mg/m ³	
497-19-8	sodium carbonate			
Worker DNEL, long-term	inhalation	local	10 mg/m ³	

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 6 of 12

PNEC values

CAS No	Substance	
Environmental compartment		Value
7681-52-9	sodium hypochlorite, solution 14% Cl active	
Freshwater		0,00021 mg/l
Marine water		0,000042 mg/l
Secondary poisoning		11,1 mg/kg
Micro-organisms in sewage treatment plants (STP)		4,69 mg/l

Additional advice on limit values

To date, no national critical limit values exist.
When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear eye protection/face protection. Suitable eye protection: goggles.

Hand protection

Avoid contact with skin. Wear suitable gloves.

Suitable gloves type: alkali-resistant

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,2-0,3 mm

Permeation time (maximum wear duration): > 8 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. Not required because of small size of the container

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Chlorine (Cl₂), Hydrogen chloride (HCl), Carbon dioxide (CO₂), Carbon monoxide.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	like: Chlorine	
Odour threshold:	0,3 ppm	
Melting point/freezing point:		< 0 °C
Boiling point or initial boiling point and boiling range:		> 60 °C

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 7 of 12

Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	Non-flammable.
Decomposition temperature:	not determined
pH-Value (at 20 °C):	13,5-14,5
Viscosity / kinematic:	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	Not applicable for inorganic substances.
Vapour pressure: (at 20 °C)	23 hPa
Density (at 20 °C):	1,13 g/cm ³
Bulk density:	not applicable
Relative vapour density:	not determined

9.2. Other information**Information with regard to physical hazard classes****Explosive properties**

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Sustained combustibility:

No sustained combustibility

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics**Evaporation rate:**

not determined

Solvent separation test:

No data available

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent. The product develops hydrogen in an aqueous solution in contact with metals. Contact with acids liberates toxic gas.

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect from direct sunlight.

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 8 of 12

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides. Alkali metals, Light metals, Ammonium salts
May develop chlorine if mixed with acidic solutions.

10.6. Hazardous decomposition products

Chlorine, Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO₂).
Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information**11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.
Contact with acids liberates toxic gas.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
497-19-8	sodium carbonate				
	oral	LD50 mg/kg	4090	Rat	IUCLID

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. (On basis of test data)
Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Inhalation, Ingestion

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 9 of 12

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Description of possible hazardous to health effects is based on experience and /or toxicological characteristics of several components.

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information
12.1. Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

There are no data available on the mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
497-19-8	sodium carbonate					
	Acute fish toxicity	LC50	300 mg/l	96 h	Lepomis macrochirus	
	Acute crustacea toxicity	EC50	265 mg/l	48 h	Daphnia magna	IUCLID

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

The study does not need to be conducted because the substance is inorganic.

12.4. Mobility in soil

The study does not need to be conducted because the substance is inorganic.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 10 of 12

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% Cl active; sodium hydroxide; caustic soda)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% Cl active; sodium hydroxide; caustic soda)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% Cl active; sodium hydroxide; caustic soda)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1719
--------------------------------------	---------

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 11 of 12

14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% Cl active; sodium hydroxide; caustic soda)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	sodium hypochlorite, solution 14% Cl active sodium hydroxide; caustic soda

14.6. Special precautions for user

Warning: strongly corrosive. Safe handling: see section 7
Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

sera Ammonia Test, Reagenz 3

Revision: 03.11.2025

Product code: Ammonia-Test_R3

Page 12 of 12

Abbreviations and acronyms

Met. Corr. 1: Corrosive to metals, hazard category 1
Skin Corr. 1A: Skin corrosion, sub-category 1A
Skin Corr. 1B: Skin corrosion, sub-category 1B
Skin Corr. 1: Skin corrosion, hazard category 1
Eye Dam. 1: Serious eye damage, hazard category 1
Eye Irrit. 2: Eye irritation, hazard category 2
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Classification for mixtures and used evaluation method

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
EUH031 Contact with acids liberates toxic gas.
EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP].
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)